



December 17, 2015

ADDENDUM NO. 1 TO ALL BIDDERS:

Invitation to Bid: ITB # 16-05-02

Description: Cast In Place Drop Inlets

Dated: December 4, 2015

For Delivery to: Purchasing Division, City of Roanoke, Virginia

Bids Due: December 17, 2015

**The open date for the above referenced ITB # 16-05-02 is hereby changed from December 17, 2015 to December 28, 2015.**

**REPLACE: SECTION 3. SERVICES AND ITEMS REQUIRED:**

A description and/or listing of the services and/or items that the Successful Bidder will be required to provide to the City under this ITB are those that are set forth in Exhibit 2 of the Sample Contract (Attachment C) attached to this ITB. Each Bidder should carefully read and review all such documents.

The following are the services and/or items that the Successful Bidder shall provide to the City of Roanoke:

The Successful Bidder shall provide and install three cast in place drop inlets pursuant to the Attached Plans and Specifications (Attachment A) and Exhibit 2 of the Sample Contract (Exhibit C). **WORK REGARDING SIDEWALK AND ENTRANCES INDICATED ON THE ATTACHED DRAWINGS (ATTACHMENT A), IS NOT INCLUDED IN ITB#16-05-02.**

**CURB INLET STRUCTURES ARE SPECIFIED AS CAST IN PLACE UNIT AND WILL BE MODIFIED DURING CONSTRUCTION TO ACCOMMODATE THE HEIGHTS SPECIFIED IN THE PLAN DRAWINGS. OPENING TO THE STRUCTURES FOR THE 15" PIPE CONNECTIONS SHALL BE INSTALLED ON THE SIDES. CONCRETE STRENGTH IS 4000 PSI AS INDICATED IN THE TECHNICAL SPECIFICATIONS.**

ALL WORK SHALL BE PERFORMED PURSUANT TO THE VIRGINIA DEPARTMENT OF TRANSPORTATION ROAD AND BRIDGE STANDARDS AND SPECIFICATIONS ([http://www.virginiadot.org/business/locdes/2008\\_standards\\_complete\\_sections.asp](http://www.virginiadot.org/business/locdes/2008_standards_complete_sections.asp))

**The Successful Bidder will be responsible for obtaining the necessary Right of Way Excavation Permit, but the will be exempted from the associated fee for this permit.**

**Note:** A signed acknowledgment of this addendum should be received at the location indicated on the ITB either prior to the due date and hour or attached to your response. Signature on this addendum does not substitute for your signature on the original bid document. The original bid document must be signed.

Very truly yours,

Monica Cole  
Senior Buyer  
Phone: 540-853-2871

\_\_\_\_\_  
Name of Firm

\_\_\_\_\_  
Signature/Title

\_\_\_\_\_  
Date