

**BRIDGE GUARDRAIL REPLACEMENT - 2015  
CITY OF ROANOKE, VIRGINIA**

**ADDENDUM No. 1 dated May 27, 2015**

**Bid No. 15-10-17**

**Revised Bid Due Date: Tuesday, June 9, 2015 at or before 2:00 p.m. local time**

ALL BIDDERS NOTE THE FOLLOWING CHANGES, MODIFICATIONS OR ADDITIONS TO THE SPECIFICATIONS AND SUBMIT QUOTATIONS IN ACCORDANCE THEREWITH:

Addendum No. 1 shall be attached and made a part of the above referenced project dated May 8, 2015. Specifications for the project are hereby revised as follows:

1. The guardrail exhibit for Bridge 8022 Shenandoah Avenue over Peters Creek, shown in Appendix D, has been modified. See revised Appendix D attachment. In addition, a revised bid form has been attached to reflect the modification.
2. Prior to installation of guardrail for Bridge 8022 (Shenandoah Avenue over Peters Creek), the City shall clear the vegetation on each side of the bridge to facilitate installation of guardrail.
3. Prior to the installation of guardrail for Bridge 8022 (Shenandoah Avenue over Peters Creek), the City shall pothole and determine the horizontal and vertical location of the waterline located adjacent to the bridge.
4. Bid opening date has been revised to Tuesday, June 9, 2015 at or before 2:00 p.m.

**END OF ADDENDUM NO. 1**



**Simone Knowles, Purchasing Manager**

May 27, 2015

**Date**

**CITY OF ROANOKE, VIRGINIA**

**BID FORM**

**REVISED BID FORM PER ADDENDUM NO. 1**

DATE: \_\_\_\_\_

SUBMITTED BY: \_\_\_\_\_  
(Exact Legal Name of Bidder)

**NOTE: ALL PAGES OF THE BID FORM ARE TO BE INCLUDED IN THE COMPLETED BID. ALSO, BIDS CONTAINING ANY CONDITIONS, OMISSIONS, UNEXPLAINED ERASURES, ALTERATIONS OR ITEMS NOT CALLED FOR IN THE BID, OR IRREGULARITIES OF ANY KIND, MAY BE REJECTED BY THE CITY AS BEING NON-RESPONSIVE. NO CHANGES ARE TO BE MADE TO THE BID FORM. ANY CHANGES TO A BID AMOUNT MUST BE INITIALED BY THE AUTHORIZED PERSON SIGNING THE BID FORM.**

The undersigned hereby proposes and agrees, if this bid is accepted by the City of Roanoke, to enter into a Contract with the City of Roanoke, Virginia, (hereafter - City or Owner) to furnish all equipment, materials, labor, and services necessary to perform the **Bridge Guardrail Replacement - 2015, ITB No. 15-10-17**, in accordance with the Contract Documents as prepared by or for the Office of the City Engineer, Roanoke, Virginia.

The quantities of work to be done at the unit prices indicated are approximate only and are intended principally to serve as a guide in evaluating bids. Subject to the constraints of the General Conditions and other Contract Documents, the quantities of work to be done and material furnished at the unit prices bid may be increased or decreased as considered necessary by the City Engineer to fully complete the Work as planned.

**BASE BID SCHEDULE**

ITEM DESCRIPTION	ESTIMATED QUANTITIES	UNIT	UNIT PRICE	TOTAL AMOUNT
<b>Bridge 8063 – Mason Mill over Tinker Creek</b>				
Mobilization	1	LS		
Maintenance of Traffic and Work Area Protection	1	LS		
Bridge Mounted Timber Guardrail, Replace In-Kind	206	LF		
Bridge Mounted Timber Sidewalk Railing, Replace In-Kind	325	LF		
Approach Timber Guardrail, Replace In-Kind	87	LF		
Approach Steel Backed Timber Guardrail Type B	200	LF		
One Year Timber Guardrail Maintenance Provision	1	LS		
<b>Bridge 8049 - 13th Street, NE over Tinker Creek</b>				
Mobilization	1	LS		
Maintenance of Traffic and Work Area Protection	1	LS		
Bridge Mounted Timber Guardrail, Replace In-Kind	118	LF		
Bridge Mounted Timber Sidewalk Railing, Replace In-Kind	118	LF		
Approach Timber Guardrail, Replace In-Kind	136	LF		
One Year Timber Guardrail Maintenance Provision	1	LS		
<b>Bridge 8022- Shenandoah Avenue over Peters Creek</b>				
Mobilization	1	LS		
Maintenance of Traffic and Work Area Protection	1	LS		
Fixed Object Attachment, VDOT FOA-1, Type 1	4	EA		
VDOT GR-10	1	EA		
Alternate Breakaway Cable Terminal, VDOT GR-9	4	EA		
Guardrail, VDOT GR-2	68.75	LF		

Guardrail, VDOT GR-2A	93.75	LF		
	<b>TOTAL BASE BID</b>			<b>\$</b>

The undersigned hereby acknowledges the receipt of the following addenda to the Contract Documents:

Addendum Number \_\_\_\_\_ Dated \_\_\_\_\_  
 Addendum Number \_\_\_\_\_ Dated \_\_\_\_\_  
 Addendum Number \_\_\_\_\_ Dated \_\_\_\_\_

The undersigned hereby agrees, if this bid is accepted by the City, to commence work with an adequate force and equipment on the date stipulated in the written "Notice to Proceed" from the Office of the City Engineer and to substantially complete the work within one hundred and twenty (120) consecutive calendar days from the date stipulated in the written "Notice to Proceed" and to achieve Final Acceptance within thirty (30) consecutive calendar days thereafter, and to pay as liquidated damages the sum of Three Hundred Dollars (\$300) per day to the City of Roanoke for each consecutive calendar day in excess of the time indicated to substantially complete the work as indicated above and then to reach Final Acceptance as set forth above to fully and satisfactorily complete the Work. (See Section 21 of the General Conditions.)

The Project and the work, services, and materials for such Project are subject to various VDOT, local, State, and/or Federal terms and provisions as set forth in or referred to in the bid documents and/or any resultant contract documents.

By submitting a bid, the undersigned agrees it will not withdraw its bid during the time period provided for in the Invitation to Bid, except as provided for therein.

The undersigned agrees that if this bid is accepted by the City, the failure or refusal of the undersigned to execute the Contract with the City and furnish to the City the required bonds and certificates of insurance within fourteen (14) consecutive calendar days from receipt of the Contract Documents may result in a payment of the Bid Security to the City as liquidated damages.

The attention of each bidder is directed to Code of Virginia, Sections 54.1-1100, et. seq., which requires certain licenses for contractors, tradesmen, and others. Each bidder is required to determine which license, if any, it is required to have under such sections.

Complete the following:

Bidder \_\_\_\_\_ does have \_\_\_\_\_ does not have a Virginia Contractor's License. (Check appropriate blank.)

If bidder has a Virginia Contractor's License, circle the class bidder has and list the number.  
 Licensed "Class A", "Class B", or "Class C" Virginia Contractor Number \_\_\_\_\_  
 Identify Specialty \_\_\_\_\_

If bidder has another type of Virginia License, please list the type and number:  
 Type of license: \_\_\_\_\_ Number: \_\_\_\_\_

Bidder is a \_\_\_ resident or \_\_\_ nonresident of Virginia. (Check appropriate blank. See Code of Virginia, Sections 54.1-1100, et. seq.)

The attention of each Bidder/Offeror is directed to Virginia Code Section 2.2-4311.2, which requires a bidder or offeror organized or authorized to transact business in the Commonwealth of Virginia pursuant to Title 13.1 or Title 50 of the Code of Virginia, as amended, or as otherwise required by law, shall include in its bid or proposal the Identification Number issued to such bidder or offeror by the Virginia State Corporation Commission (SCC). Furthermore, any bidder or offeror that is not required to be authorized to transact business in the Commonwealth of Virginia as a domestic or foreign business entity under Title 13.1 or Title 50 or as otherwise required by law shall include in its bid or proposal a statement describing why the bidder or offeror is not required to be so authorized. Please complete the following by checking the appropriate line that applies and providing the requested information:

- A. \_\_\_\_\_ Bidder/Offeror is a Virginia business entity organized and authorized to transact business in Virginia by the SCC and such bidder's/offeror's Identification Number issued to it by the SCC is \_\_\_\_\_.
- B. \_\_\_\_\_ Bidder/Offeror is an out-of-state (foreign) business entity that is authorized to transact business in Virginia by the SCC and such bidder's/offeror's Identification Number issued to it by the SCC is \_\_\_\_\_.
- C. \_\_\_\_\_ Bidder/Offeror does not have an Identification Number issued to it by the SCC and such bidder/offeror is not required to be authorized to transact business in Virginia by the SCC for the following reason(s):  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Please attach additional sheets of paper if you need more space to explain why such bidder/offeror is not required to be authorized to transact business in Virginia.

The undersigned states that it has made a best or good faith effort to seek the participation of and utilize local, Small, Minority-Owned, Women-Owned, and Service Disabled Veteran-Owned Businesses as suppliers and subcontractors whenever possible for this Project.

State the complete legal name of the bidder, exactly as it is recorded with the State Corporation Commission, if recorded there.

LEGAL NAME \_\_\_\_\_

BY \_\_\_\_\_ TITLE \_\_\_\_\_  
(TYPED NAME: \_\_\_\_\_ )

SIGNED NAME \_\_\_\_\_

DELIVERY ADDRESS \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_

TELEPHONE \_\_\_\_\_ FAX \_\_\_\_\_

CONTACT EMAIL ADDRESS \_\_\_\_\_

ESCROW ACCOUNT REQUESTED (if applicable): YES \_\_\_\_\_ NO \_\_\_\_\_

DELIVERY OF BIDS: See Section 7.1 of the Instructions to Bidders.

Simone Knowles, Purchasing Manager  
Purchasing Division  
215 Church Avenue, S.W.  
Room 202, Noel C. Taylor Municipal Building  
Roanoke, Virginia 24011

Place in lower left-hand corner of envelope the project title and ITB No. as indicated below .  
Place in the upper left-hand corner of the envelope the bidder's name and mailing address.

BRIDGE GUARDRAIL REPLACEMENT - 2015  
ROANOKE, VIRGINIA  
ITB NO. 15-10-17


REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

\*\*\* APPENDIX D - REVISED PER ADDENDUM NO. 1 DATED 5/27/2015

BRIDGE 8022 - SHENANDOAH AVENUE OVER PETERS CREEK  
GUARDRAIL PLAN

NOTES:

1. BRIDGE HAS 70's ERA TERMINAL WALLS.  
CONTRACTOR TO REUSE EXISTING HOLE  
PATTERN IN TERMINAL WALL FOR FOA  
ATTACHMENT.



GR-9  
(50'-0")

GR-10  
OVER  
CULVERT

GR-2A  
(87'-6")

FOA  
(19'-9")

GR-2A  
(6'-3")

GR-9  
(50')

FOA  
(19'-9")

GR-9  
(50')

GR-2  
(18'-9")

FOA  
(19'-9")

FOA  
(19'-9")

GR-2  
(50'-0")

GR-9  
(50')

SHENANDOAH

WESTSIDE